

## 附件

### 苏州市吴江区教育系统 2026 年公开招聘事业编制教师（第二批）总成绩及进入体检人员名单

准考证号	岗位代码	笔试成绩	面试成绩	总成绩	总名次	是否进入体检
20260400111628	001	80.5	84.40	82.84	1	进入体检
20260400110515	001	79.0	84.83	82.50	2	进入体检
20260400110910	001	81.0	83.30	82.38	3	进入体检
20260400111009	001	79.5	83.67	82.00	4	进入体检
20260400110323	001	79.5	83.23	81.74	5	进入体检
20260400110524	001	80.0	82.70	81.62	6	进入体检
20260400111119	001	79.0	83.30	81.58	7	进入体检
20260400111512	001	81.0	81.83	81.50	8	进入体检
20260400110425	001	80.0	82.43	81.46	9	进入体检
20260400111620	001	79.5	82.73	81.44	10	否
20260400111622	001	79.0	82.83	81.30	11	否
20260400111717	001	80.0	82.07	81.24	12	否
20260400111723	001	78.5	82.60	80.96	13	否
20260400111601	001	80.0	81.50	80.90	14	否
20260400110526	001	78.0	82.70	80.82	15	否
20260400110126	001	78.0	82.60	80.76	16	否
20260400110717	001	78.0	82.30	80.58	17	否

20260400110402	001	78.5	81.87	80.52	18	否
20260400111823	001	78.0	82.03	80.42	19	否
20260400110711	001	79.0	81.03	80.22	20	否
20260400110708	001	79.5	80.70	80.22	21	否
20260400111926	001	79.5	78.27	78.76	22	否
20260400111803	001	79.0	77.43	78.06	23	否
20260400111925	001	78.0	76.03	76.82	24	否
20260400210523	002	83.5	86.97	85.58	1	进入体检
20260400211510	002	81.5	87.37	85.02	2	进入体检
20260400210108	002	79.5	88.00	84.60	3	进入体检
20260400210211	002	83.0	84.97	84.18	4	进入体检
20260400210223	002	80.0	86.90	84.14	5	进入体检
20260400211116	002	82.0	85.33	84.00	6	进入体检
20260400210907	002	82.0	84.97	83.78	7	进入体检
20260400211919	002	85.0	82.87	83.72	8	进入体检
20260400210416	002	78.0	87.47	83.68	9	进入体检
20260400211915	002	78.5	86.80	83.48	10	否
20260400210510	002	83.0	83.63	83.38	11	否
20260400210617	002	78.0	86.20	82.92	12	否
20260400212001	002	80.5	83.90	82.54	13	否
20260400210227	002	79.0	84.60	82.36	14	否
20260400211727	002	78.0	85.23	82.34	15	否

20260400211801	002	78.5	84.53	82.12	16	否
20260400211213	002	79.5	83.47	81.88	17	否
20260400211605	002	82.0	81.67	81.80	18	否
20260400211816	002	83.0	80.27	81.36	19	否
20260400211127	002	81.5	80.17	80.70	20	否
20260400210222	002	79.0	81.80	80.68	21	否
20260400211210	002	77.5	81.67	80.00	22	否
20260400212021	002	80.0	78.07	78.84	23	否
20260400211807	002	78.5	70.93	73.96	24	否
20260400310407	003	83.5	83.73	83.64	1	进入体检
20260400311819	003	85.0	81.70	83.02	2	进入体检
20260400311729	003	78.0	85.27	82.36	3	进入体检
20260400311202	003	84.0	80.97	82.18	4	进入体检
20260400310628	003	84.0	80.47	81.88	5	进入体检
20260400310506	003	81.0	81.90	81.54	6	进入体检
20260400310110	003	84.5	79.30	81.38	7	进入体检
20260400311207	003	76.5	84.50	81.30	8	进入体检
20260400311606	003	80.5	81.40	81.04	9	进入体检
20260400311304	003	83.0	78.77	80.46	10	否
20260400310214	003	79.0	81.33	80.40	11	否
20260400311726	003	78.5	81.37	80.22	12	否
20260400311813	003	76.5	82.43	80.06	13	否

20260400311806	003	77.5	81.33	79.80	14	否
20260400310218	003	83.5	76.53	79.32	15	否
20260400311209	003	78.0	79.63	78.98	16	否
20260400310720	003	77.0	79.37	78.42	17	否
20260400310705	003	83.0	75.00	78.20	18	否
20260400310521	003	78.0	78.30	78.18	19	否
20260400311815	003	77.0	78.90	78.14	20	否
20260400311721	003	76.5	78.80	77.88	21	否
20260400310721	003	77.0	78.07	77.64	22	否
20260400312027	003	77.0	77.87	77.52	23	否
20260400311310	003	77.5	75.40	76.24	24	否
20260400410703	004	87.0	83.80	85.08	1	进入体检
20260400410213	004	85.5	81.40	83.04	2	进入体检
20260400411003	004	80.0	84.87	82.92	3	进入体检
20260400411912	004	80.0	82.73	81.64	4	进入体检
20260400411710	004	76.0	84.60	81.16	5	进入体检
20260400411702	004	77.5	81.93	80.16	6	进入体检
20260400410727	004	80.5	79.90	80.14	7	进入体检
20260400411028	004	74.5	82.47	79.28	8	进入体检
20260400410722	004	74.0	82.33	79.00	9	否
20260400410220	004	76.0	80.87	78.92	10	否
20260400411927	004	77.0	80.13	78.88	11	否

20260400412029	004	75.0	81.00	78.60	12	否
20260400410125	004	76.5	79.90	78.54	13	否
20260400410325	004	74.0	81.50	78.50	14	否
20260400411923	004	74.5	80.60	78.16	15	否
20260400412011	004	74.5	80.33	78.00	16	否
20260400410712	004	74.0	80.63	77.98	17	否
20260400411503	004	75.0	79.63	77.78	18	否
20260400410517	004	77.0	78.27	77.76	19	否
20260400411911	004	74.0	79.03	77.02	20	否
20260400410119	004	75.5	77.03	76.42	21	否
20260400411204	004	78.0	75.13	76.28	22	否
20260400411907	004	77.0	74.00	75.20	23	否
20260400410330	004	74.0	69.20	71.12	24	否
20260400510503	005	83.5	87.20	85.72	1	进入体检
20260400510429	005	85.5	83.53	84.32	2	进入体检
20260400510917	005	80.0	86.27	83.76	3	进入体检
20260400510530	005	82.0	82.63	82.38	4	进入体检
20260400511617	005	76.5	86.00	82.20	5	进入体检
20260400511112	005	76.5	84.70	81.42	6	进入体检
20260400511130	005	77.0	83.83	81.10	7	进入体检
20260400511906	005	81.0	80.77	80.86	8	进入体检
20260400512009	005	77.0	82.50	80.30	9	否

20260400511624	005	78.0	81.57	80.14	10	否
20260400510522	005	77.5	81.73	80.04	11	否
20260400510723	005	78.0	81.37	80.02	12	否
20260400511328	005	80.0	79.87	79.92	13	否
20260400510528	005	76.0	80.87	78.92	14	否
20260400510302	005	76.5	80.20	78.72	15	否
20260400511122	005	80.0	77.87	78.72	16	否
20260400511808	005	80.0	77.50	78.50	17	否
20260400510409	005	78.5	77.53	77.92	18	否
20260400511517	005	77.5	77.93	77.76	19	否
20260400511720	005	76.0	75.50	75.70	20	否
20260400613601	006	94.0	84.10	88.06	1	进入体检
20260400613707	006	92.5	84.17	87.50	2	进入体检
20260400613724	006	95.5	82.00	87.40	3	进入体检
20260400612225	006	91.5	84.07	87.04	4	进入体检
20260400612930	006	94.5	82.03	87.02	5	进入体检
20260400613304	006	96.0	80.63	86.78	6	进入体检
20260400612526	006	96.0	80.63	86.78	6	进入体检
20260400612609	006	93.5	81.87	86.52	8	进入体检
20260400612118	006	91.5	82.67	86.20	9	进入体检
20260400613517	006	93.0	81.57	86.14	10	进入体检
20260400613118	006	92.5	81.67	86.00	11	否

20260400613426	006	92.5	81.07	85.64	12	否
20260400612503	006	93.5	80.17	85.50	13	否
20260400613125	006	92.0	80.87	85.32	14	否
20260400615816	006	92.0	80.57	85.14	15	否
20260400613128	006	91.5	80.83	85.10	16	否
20260400613327	006	92.5	79.63	84.78	17	否
20260400612829	006	92.0	79.63	84.58	18	否
20260400613726	006	91.5	79.63	84.38	19	否
20260400613420	006	96.0	76.37	84.22	20	否
20260400612408	006	95.0	76.60	83.96	21	否
20260400612920	006	92.5	78.17	83.90	22	否
20260400612304	006	93.0	77.50	83.70	23	否
20260400612722	006	94.5	76.27	83.56	24	否
20260400613111	006	95.0	75.93	83.56	25	否
20260400613406	006	96.5	74.53	83.32	26	否
20260400613614	006	94.5	73.50	81.90	27	否
20260400613608	006	92.5	73.63	81.18	28	否
20260400712325	007	95.0	87.13	90.28	1	进入体检
20260400713610	007	93.5	82.43	86.86	2	进入体检
20260400715818	007	94.0	81.60	86.56	3	进入体检
20260400713622	007	92.0	82.57	86.34	4	进入体检
20260400712910	007	95.0	80.07	86.04	5	进入体检

20260400712421	007	94.5	80.13	85.88	6	进入体检
20260400713115	007	93.0	80.83	85.70	7	进入体检
20260400712917	007	92.5	80.10	85.06	8	进入体检
20260400712426	007	89.0	82.07	84.84	9	进入体检
20260400712628	007	89.5	81.03	84.42	10	进入体检
20260400712221	007	94.5	77.57	84.34	11	否
20260400713201	007	91.5	79.53	84.32	12	否
20260400713717	007	89.5	79.50	83.50	13	否
20260400713305	007	92.0	77.80	83.48	14	否
20260400712203	007	92.5	77.43	83.46	15	否
20260400712420	007	91.0	78.27	83.36	16	否
20260400712301	007	97.0	74.27	83.36	17	否
20260400712110	007	96.0	73.83	82.70	18	否
20260400713324	007	93.0	75.33	82.40	19	否
20260400712904	007	97.0	72.20	82.12	20	否
20260400713722	007	90.0	73.10	79.86	21	否
20260400712707	007	89.5	72.60	79.36	22	否
20260400812409	008	94.0	83.10	87.46	1	进入体检
20260400812614	008	90.5	85.27	87.36	2	进入体检
20260400812810	008	91.5	83.17	86.50	3	进入体检
20260400813719	008	95.5	80.30	86.38	4	进入体检
20260400812416	008	97.0	79.03	86.22	5	进入体检

20260400812919	008	94.0	81.00	86.20	6	进入体检
20260400813427	008	92.5	81.80	86.08	7	进入体检
20260400812329	008	89.5	83.57	85.94	8	进入体检
20260400812518	008	94.0	80.03	85.62	9	进入体检
20260400812330	008	98.0	76.67	85.20	10	否
20260400813411	008	90.0	81.57	84.94	11	否
20260400812822	008	90.0	81.17	84.70	12	否
20260400813605	008	91.5	80.03	84.62	13	否
20260400812227	008	93.5	78.63	84.58	14	否
20260400812813	008	90.5	79.23	83.74	15	否
20260400813303	008	93.5	76.30	83.18	16	否
20260400813310	008	91.5	77.40	83.04	17	否
20260400812318	008	90.5	76.70	82.22	18	否
20260400813529	008	94.0	73.67	81.80	19	否
20260400813602	008	94.0	72.50	81.10	20	否
20260400913127	009	92.0	82.63	86.38	1	进入体检
20260400912615	009	90.5	81.17	84.90	2	进入体检
20260400912102	009	92.5	79.50	84.70	3	进入体检
20260400912313	009	94.0	76.93	83.76	4	进入体检
20260400912603	009	89.0	79.27	83.16	5	进入体检
20260400913621	009	92.5	76.60	82.96	6	进入体检
20260400913228	009	92.0	76.23	82.54	7	进入体检

20260400912513	009	88.5	78.27	82.36	8	进入体检
20260400913016	009	82.5	81.67	82.00	9	进入体检
20260400912623	009	88.5	77.47	81.88	10	否
20260400913402	009	92.0	75.07	81.84	11	否
20260400912204	009	86.5	76.70	80.62	12	否
20260400912324	009	83.5	73.17	77.30	13	否
20260400915822	009	84.0	71.20	76.32	14	否
20260400913412	009	84.0	70.83	76.10	15	否
20260400912428	009	84.0	69.67	75.40	16	否
20260400913607	009	90.0	64.17	74.50	17	否
20260400912807	009	83.0	65.33	72.40	18	否
20260400915821	009	85.5	60.07	70.24	19	否
20260401012812	010	96.0	85.60	89.76	1	进入体检
20260401013727	010	94.5	83.43	87.86	2	进入体检
20260401013110	010	88.5	86.13	87.08	3	进入体检
20260401012422	010	92.5	82.43	86.46	4	进入体检
20260401013021	010	96.5	79.53	86.32	5	进入体检
20260401012412	010	86.5	85.00	85.60	6	进入体检
20260401013713	010	88.0	83.60	85.36	7	进入体检
20260401013218	010	89.0	81.07	84.24	8	进入体检
20260401013415	010	89.5	80.43	84.06	9	进入体检
20260401013211	010	93.5	77.70	84.02	10	否

20260401012718	010	88.0	81.10	83.86	11	否
20260401012701	010	87.5	81.30	83.78	12	否
20260401013429	010	96.0	75.33	83.60	13	否
20260401012716	010	86.0	81.67	83.40	14	否
20260401012321	010	85.5	81.90	83.34	15	否
20260401012302	010	90.0	77.97	82.78	16	否
20260401012730	010	92.5	76.23	82.74	17	否
20260401012916	010	92.5	75.50	82.30	18	否
20260401012929	010	87.0	78.80	82.08	19	否
20260401013026	010	85.5	79.23	81.74	20	否
20260401012108	010	93.0	74.20	81.72	21	否
20260401012327	010	85.5	79.10	81.66	22	否
20260401013113	010	92.0	74.27	81.36	23	否
20260401013130	010	94.0	70.37	79.82	24	否
20260401013403	010	87.0	73.50	78.90	25	否
20260401122307	011	93.0	84.43	87.86	1	进入体检
20260401122024	011	92.0	84.17	87.30	2	进入体检
20260401120206	011	93.5	82.77	87.06	3	进入体检
20260401121806	011	90.0	84.53	86.72	4	进入体检
20260401120722	011	94.5	81.10	86.46	5	进入体检
20260401120617	011	89.5	84.37	86.42	6	进入体检
20260401120630	011	94.5	80.67	86.20	7	进入体检

20260401120322	011	90.5	83.00	86.00	8	进入体检
20260401121328	011	90.5	82.67	85.80	9	进入体检
20260401120606	011	92.5	81.20	85.72	10	进入体检
20260401121006	011	91.0	82.17	85.70	11	否
20260401122103	011	94.5	79.83	85.70	12	否
20260401122323	011	91.0	82.00	85.60	13	否
20260401120521	011	93.5	79.47	85.08	14	否
20260401120608	011	89.5	81.87	84.92	15	否
20260401120218	011	91.0	80.77	84.86	16	否
20260401122521	011	92.0	79.40	84.44	17	否
20260401121619	011	90.5	80.30	84.38	18	否
20260401121005	011	90.5	79.40	83.84	19	否
20260401121910	011	90.0	78.97	83.38	20	否
20260401122025	011	90.0	78.47	83.08	21	否
20260401120612	011	91.0	77.33	82.80	22	否
20260401120414	011	90.0	77.50	82.50	23	否
20260401120101	011	90.0	77.23	82.34	24	否
20260401120614	011	93.0	75.13	82.28	25	否
20260401122029	011	90.5	76.43	82.06	26	否
20260401121913	011	91.5	70.90	79.14	27	否
20260401121315	011	89.5	71.57	78.74	28	否
20260401122203	011	89.5	70.57	78.14	29	否

20260401220915	012	91.0	81.00	85.00	1	进入体检
20260401220213	012	92.0	79.93	84.76	2	进入体检
20260401221327	012	91.0	79.80	84.28	3	进入体检
20260401221615	012	92.0	78.90	84.14	4	进入体检
20260401222108	012	89.0	80.00	83.60	5	进入体检
20260401221505	012	89.5	79.07	83.24	6	进入体检
20260401222417	012	90.0	78.43	83.06	7	进入体检
20260401221929	012	92.0	77.07	83.04	8	进入体检
20260401221718	012	91.5	77.20	82.92	9	进入体检
20260401222311	012	91.0	77.07	82.64	10	进入体检
20260401221119	012	88.0	78.97	82.58	11	否
20260401222309	012	90.5	76.83	82.30	12	否
20260401222120	012	89.0	77.77	82.26	13	否
20260401221625	012	88.0	78.17	82.10	14	否
20260401220102	012	93.0	74.47	81.88	15	否
20260401220224	012	89.0	76.97	81.78	16	否
20260401222412	012	88.0	76.50	81.10	17	否
20260401221613	012	91.5	73.57	80.74	18	否
20260401222420	012	89.0	74.33	80.20	19	否
20260401221329	012	90.5	72.97	79.98	20	否
20260401220511	012	89.5	73.43	79.86	21	否
20260401221025	012	92.5	70.73	79.44	22	否

20260401221722	012	88.5	72.57	78.94	23	否
20260401220714	012	88.5	72.33	78.80	24	否
20260401221809	012	88.5	71.43	78.26	25	否
20260401222030	012	88.5	71.13	78.08	26	否
20260401221506	012	90.0	63.20	73.92	27	否
20260401320114	013	94.0	81.53	86.52	1	进入体检
20260401320230	013	91.0	82.60	85.96	2	进入体检
20260401320610	013	93.0	80.77	85.66	3	进入体检
20260401321930	013	92.5	81.00	85.60	4	进入体检
20260401320404	013	91.5	80.87	85.12	5	进入体检
20260401322414	013	93.5	79.33	85.00	6	进入体检
20260401322316	013	90.5	80.73	84.64	7	进入体检
20260401321309	013	89.5	80.73	84.24	8	进入体检
20260401321817	013	92.0	79.00	84.20	9	进入体检
20260401322515	013	92.0	78.93	84.16	10	进入体检
20260401321719	013	88.5	81.13	84.08	11	否
20260401321206	013	89.0	80.73	84.04	12	否
20260401321730	013	89.5	80.23	83.94	13	否
20260401321807	013	90.5	79.40	83.84	14	否
20260401321029	013	90.5	79.30	83.78	15	否
20260401321204	013	91.0	78.80	83.68	16	否
20260401321618	013	89.5	79.63	83.58	17	否

20260401321425	013	89.0	79.73	83.44	18	否
20260401321027	013	91.0	78.40	83.44	19	否
20260401321623	013	89.0	79.57	83.34	20	否
20260401321705	013	88.5	79.47	83.08	21	否
20260401320416	013	88.5	79.40	83.04	22	否
20260401320615	013	87.5	79.80	82.88	23	否
20260401320306	013	88.5	79.13	82.88	24	否
20260401320923	013	87.5	79.50	82.70	25	否
20260401320425	013	89.0	78.33	82.60	26	否
20260401321803	013	87.5	76.53	80.92	27	否
20260401321402	013	87.5	74.17	79.50	28	否
20260401420415	014	93.0	84.90	88.14	1	进入体检
20260401420526	014	92.0	84.57	87.54	2	进入体检
20260401422322	014	94.0	82.67	87.20	3	进入体检
20260401421911	014	91.5	84.07	87.04	4	进入体检
20260401420223	014	93.0	81.50	86.10	5	进入体检
20260401420403	014	90.5	82.47	85.68	6	进入体检
20260401421003	014	92.5	80.97	85.58	7	进入体检
20260401421525	014	92.0	81.17	85.50	8	进入体检
20260401421127	014	93.0	79.83	85.10	9	进入体检
20260401420817	014	92.5	79.67	84.80	10	进入体检
20260401422506	014	89.0	81.83	84.70	11	否

20260401422314	014	92.0	79.63	84.58	12	否
20260401421218	014	93.5	78.57	84.54	13	否
20260401424210	014	94.0	77.93	84.36	14	否
20260401421627	014	89.0	81.13	84.28	15	否
20260401421818	014	92.5	78.77	84.26	16	否
20260401421403	014	89.5	80.63	84.18	17	否
20260401422021	014	89.0	79.90	83.54	18	否
20260401421429	014	92.0	77.90	83.54	19	否
20260401420613	014	89.0	79.83	83.50	20	否
20260401421214	014	91.5	77.77	83.26	21	否
20260401420427	014	89.5	79.00	83.20	22	否
20260401422428	014	93.0	76.23	82.94	23	否
20260401421310	014	89.5	77.93	82.56	24	否
20260401420201	014	91.5	76.30	82.38	25	否
20260401422026	014	89.0	77.13	81.88	26	否
20260401522710	015	95.0	79.50	85.70	1	进入体检
20260401522926	015	90.0	78.37	83.02	2	进入体检
20260401522902	015	93.5	75.67	82.80	3	进入体检
20260401522622	015	89.0	78.07	82.44	4	进入体检
20260401522916	015	88.0	78.13	82.08	5	进入体检
20260401523122	015	84.0	80.13	81.68	6	进入体检
20260401522613	015	76.5	83.53	80.72	7	进入体检

20260401522623	015	82.0	79.57	80.54	8	进入体检
20260401522827	015	88.0	75.50	80.50	9	进入体检
20260401522813	015	76.0	82.97	80.18	10	进入体检
20260401523128	015	83.0	77.07	79.44	11	否
20260401523029	015	70.5	79.50	75.90	12	否
20260401522925	015	69.0	79.33	75.20	13	否
20260401522720	015	78.0	72.17	74.50	14	否
20260401523030	015	83.0	67.27	73.56	15	否
20260401622930	016	88.5	81.70	84.42	1	进入体检
20260401622816	016	94.0	76.90	83.74	2	进入体检
20260401622822	016	86.5	78.40	81.64	3	进入体检
20260401623129	016	83.5	79.87	81.32	4	进入体检
20260401622814	016	84.0	79.37	81.22	5	进入体检
20260401622719	016	88.5	76.00	81.00	6	进入体检
20260401623119	016	81.0	80.80	80.88	7	进入体检
20260401622922	016	83.0	78.23	80.14	8	进入体检
20260401622907	016	92.0	72.10	80.06	9	进入体检
20260401622702	016	83.5	76.70	79.42	10	进入体检
20260401624215	016	79.0	76.97	77.78	11	否
20260401624214	016	78.0	77.37	77.62	12	否
20260401622804	016	79.0	76.43	77.46	13	否
20260401622620	016	86.0	69.93	76.36	14	否

20260401622625	016	74.5	76.90	75.94	15	否
20260401623027	016	72.0	78.13	75.68	16	否
20260401622704	016	71.0	78.20	75.32	17	否
20260401622711	016	81.0	71.37	75.22	18	否
20260401622605	016	75.0	74.00	74.40	19	否
20260401622815	016	73.0	74.13	73.68	20	否
20260401622603	016	66.0	78.40	73.44	21	否
20260401623102	016	66.0	76.43	72.26	22	否
20260401623001	016	67.5	74.80	71.88	23	否
20260401622715	016	68.5	74.10	71.86	24	否
20260401622617	016	74.5	70.03	71.82	25	否
20260401624216	016	70.0	72.93	71.76	26	否
20260401622716	016	66.0	75.33	71.60	27	否
20260401622830	016	73.5	66.90	69.54	28	否
20260401722706	017	96.0	83.50	88.50	1	进入体检
20260401722929	017	91.0	85.37	87.62	2	进入体检
20260401723130	017	89.5	85.00	86.80	3	进入体检
20260401722724	017	86.5	79.73	82.44	4	进入体检
20260401722914	017	88.0	77.13	81.48	5	进入体检
20260401724219	017	84.0	79.17	81.10	6	进入体检
20260401722619	017	83.0	78.93	80.56	7	进入体检
20260401724220	017	86.5	75.93	80.16	8	进入体检

20260401722924	017	74.0	83.27	79.56	9	进入体检
20260401723014	017	81.0	76.97	78.58	10	进入体检
20260401723005	017	75.5	79.50	77.90	11	否
20260401722810	017	77.0	78.27	77.76	12	否
20260401723127	017	77.0	77.77	77.46	13	否
20260401722721	017	79.0	76.33	77.40	14	否
20260401723028	017	78.0	76.50	77.10	15	否
20260401723003	017	67.0	79.93	74.76	16	否
20260401724217	017	75.5	74.20	74.72	17	否
20260401722608	017	72.0	76.50	74.70	18	否
20260401723019	017	78.0	70.70	73.62	19	否
20260401723025	017	69.5	71.77	70.86	20	否
20260401722629	017	71.5	67.50	69.10	21	否
20260401822610	018	90.5	84.10	86.66	1	进入体检
20260401822713	018	91.0	83.70	86.62	2	进入体检
20260401822728	018	89.5	81.67	84.80	3	进入体检
20260401822709	018	80.5	84.43	82.86	4	进入体检
20260401823006	018	87.0	77.67	81.40	5	进入体检
20260401823114	018	83.0	76.27	78.96	6	进入体检
20260401824223	018	79.0	78.67	78.80	7	进入体检
20260401822723	018	80.5	75.87	77.72	8	进入体检
20260401823010	018	74.0	77.83	76.30	9	进入体检

20260401823023	018	63.0	85.07	76.24	10	否
20260401822714	018	71.5	79.07	76.04	11	否
20260401822823	018	70.0	79.83	75.90	12	否
20260401822805	018	75.0	76.07	75.64	13	否
20260401822817	018	67.0	80.40	75.04	14	否
20260401824224	018	72.5	76.07	74.64	15	否
20260401824221	018	70.0	74.53	72.72	16	否
20260401822606	018	67.5	75.87	72.52	17	否
20260401822725	018	62.0	72.50	68.30	18	否
20260401923804	019	88.0	82.90	84.94	1	进入体检
20260401923225	019	80.5	86.60	84.16	2	进入体检
20260401923222	019	87.0	81.33	83.60	3	进入体检
20260401923721	019	82.5	83.57	83.14	4	进入体检
20260401923627	019	88.0	79.73	83.04	5	进入体检
20260401923319	019	86.0	80.80	82.88	6	进入体检
20260401923217	019	85.0	81.43	82.86	7	进入体检
20260401923220	019	89.5	78.03	82.62	8	进入体检
20260401923412	019	90.0	76.83	82.10	9	进入体检
20260401923302	019	80.0	80.63	80.38	10	否
20260401923219	019	84.5	75.50	79.10	11	否
20260401923727	019	90.0	71.80	79.08	12	否
20260401923315	019	86.0	73.63	78.58	13	否

20260401923311	019	84.0	74.77	78.46	14	否
20260401923624	019	81.0	76.73	78.44	15	否
20260401923820	019	79.5	77.67	78.40	16	否
20260401923807	019	83.0	73.90	77.54	17	否
20260401923303	019	81.0	73.67	76.60	18	否
20260401923310	019	85.0	70.23	76.14	19	否
20260401923207	019	83.0	69.73	75.04	20	否
20260401923408	019	80.0	70.97	74.58	21	否
20260401923423	019	81.0	69.13	73.88	22	否
20260401923530	019	80.0	64.90	70.94	23	否
20260402023501	020	92.5	82.77	86.66	1	进入体检
20260402023324	020	88.5	83.23	85.34	2	进入体检
20260402023502	020	88.5	81.17	84.10	3	进入体检
20260402023704	020	86.0	82.27	83.76	4	进入体检
20260402024306	020	88.0	80.37	83.42	5	进入体检
20260402023413	020	88.5	79.37	83.02	6	进入体检
20260402023524	020	87.0	79.97	82.78	7	进入体检
20260402023521	020	87.0	79.13	82.28	8	进入体检
20260402023613	020	88.5	78.00	82.20	9	进入体检
20260402023528	020	90.0	76.57	81.94	10	否
20260402023817	020	84.5	79.47	81.48	11	否
20260402023625	020	83.5	79.80	81.28	12	否

20260402023705	020	83.0	78.60	80.36	13	否
20260402023304	020	87.5	75.37	80.22	14	否
20260402023717	020	83.5	77.23	79.74	15	否
20260402023725	020	81.5	78.23	79.54	16	否
20260402023426	020	85.0	74.20	78.52	17	否
20260402023614	020	80.0	77.07	78.24	18	否
20260402023314	020	79.5	74.53	76.52	19	否
20260402023611	020	82.5	72.50	76.50	20	否
20260402023406	020	84.0	71.50	76.50	21	否
20260402023730	020	80.5	69.17	73.70	22	否
20260402124308	021	91.0	87.40	88.84	1	进入体检
20260402123519	021	93.5	83.77	87.66	2	进入体检
20260402124307	021	90.5	82.93	85.96	3	进入体检
20260402123508	021	88.0	83.77	85.46	4	进入体检
20260402123507	021	94.5	79.43	85.46	5	进入体检
20260402123706	021	88.0	83.70	85.42	6	进入体检
20260402123810	021	90.0	82.00	85.20	7	进入体检
20260402123826	021	89.0	80.87	84.12	8	进入体检
20260402123305	021	91.0	79.43	84.06	9	进入体检
20260402123316	021	90.0	80.00	84.00	10	否
20260402123325	021	89.0	80.20	83.72	11	否
20260402123630	021	88.0	80.73	83.64	12	否

20260402123606	021	85.5	82.00	83.40	13	否
20260402123407	021	86.5	81.00	83.20	14	否
20260402123417	021	91.5	77.60	83.16	15	否
20260402123525	021	87.0	80.23	82.94	16	否
20260402123213	021	88.0	79.40	82.84	17	否
20260402123215	021	87.0	79.60	82.56	18	否
20260402123214	021	87.0	79.40	82.44	19	否
20260402123212	021	86.0	79.67	82.20	20	否
20260402123421	021	89.0	75.63	80.98	21	否
20260402123708	021	85.0	77.97	80.78	22	否
20260402123504	021	90.5	73.73	80.44	23	否
20260402123216	021	86.5	76.13	80.28	24	否
20260402123714	021	85.0	76.07	79.64	25	否
20260402123722	021	85.5	74.87	79.12	26	否
20260402123208	021	85.5	73.57	78.34	27	否
20260402123827	021	88.0	66.80	75.28	28	否
20260402214106	022	86.5	85.70	86.02	1	进入体检
20260402215809	022	89.0	82.70	85.22	2	进入体检
20260402214219	022	85.0	83.37	84.02	3	进入体检
20260402214228	022	87.0	80.83	83.30	4	否
20260402214114	022	86.0	80.00	82.40	5	否
20260402214030	022	87.5	78.27	81.96	6	否

20260402214229	022	86.0	76.07	80.04	7	否
20260402214009	022	88.0	72.30	78.58	8	否
20260402213801	022	85.0	73.30	77.98	9	否
20260402313807	023	89.5	85.30	86.98	1	进入体检
20260402313901	023	88.5	85.70	86.82	2	进入体检
20260402313907	023	91.5	82.03	85.82	3	进入体检
20260402314017	023	85.0	83.17	83.90	4	否
20260402313929	023	88.0	76.83	81.30	5	否
20260402313812	023	85.0	74.87	78.92	6	否
20260402314013	023	86.0	73.27	78.36	7	否
20260402414419	024	78.0	88.13	84.08	1	进入体检
20260402414510	024	82.5	84.70	83.82	2	进入体检
20260402414622	024	83.5	82.13	82.68	3	进入体检
20260402414418	024	86.0	80.23	82.54	4	进入体检
20260402415902	024	77.0	85.40	82.04	5	否
20260402415906	024	82.5	79.70	80.82	6	否
20260402414502	024	80.5	80.37	80.42	7	否
20260402414614	024	81.5	78.30	79.58	8	否
20260402414417	024	79.0	79.03	79.02	9	否
20260402414516	024	79.0	77.33	78.00	10	否
20260402414511	024	78.0	77.47	77.68	11	否
20260402414624	024	78.0	75.40	76.44	12	否

20260402514608	025	84.5	83.47	83.88	1	进入体检
20260402514530	025	79.5	84.70	82.62	2	进入体检
20260402514518	025	80.0	80.50	80.30	3	进入体检
20260402515915	025	80.0	79.97	79.98	4	进入体检
20260402515908	025	75.0	82.73	79.64	5	否
20260402514421	025	76.0	80.37	78.62	6	否
20260402514513	025	75.0	80.97	78.58	7	否
20260402514521	025	76.5	79.73	78.44	8	否
20260402514520	025	79.0	77.57	78.14	9	否
20260402514619	025	82.5	73.37	77.02	10	否
20260402514413	025	73.5	78.93	76.76	11	否
20260402624007	026	89.5	82.40	85.24	1	进入体检
20260402624003	026	83.0	80.43	81.46	2	进入体检
20260402624102	026	83.5	77.63	79.98	3	进入体检
20260402623907	026	83.0	75.43	78.46	4	否
20260402624029	026	83.0	69.60	74.96	5	否
20260402724001	027	83.5	79.57	81.14	1	进入体检
20260402724009	027	86.0	75.67	79.80	2	进入体检
20260402723904	027	85.0	75.97	79.58	3	进入体检
20260402723929	027	80.5	77.50	78.70	4	否
20260402723911	027	81.5	74.30	77.18	5	否
20260402723919	027	80.5	73.33	76.20	6	否

20260402724004	027	81.5	72.67	76.20	7	否
20260402814712	028	82.5	82.57	82.54	1	进入体检
20260402815030	028	80.0	81.60	80.96	2	进入体检
20260402814929	028	83.0	79.40	80.84	3	进入体检
20260402815005	028	77.0	83.03	80.62	4	否
20260402814701	028	80.0	78.97	79.38	5	否
20260402815004	028	77.0	80.20	78.92	6	否
20260402815013	028	77.0	80.00	78.80	7	否
20260402816012	028	81.5	74.03	77.02	8	否
20260402814827	028	81.0	74.17	76.90	9	否
20260402814706	028	79.5	74.53	76.52	10	否
20260402914905	029	83.0	83.50	83.30	1	进入体检
20260402914719	029	84.0	81.47	82.48	2	进入体检
20260402916027	029	83.0	79.07	80.64	3	进入体检
20260402914720	029	82.5	76.67	79.00	4	否
20260402914811	029	80.5	77.27	78.56	5	否
20260402915018	029	81.5	76.30	78.38	6	否
20260402914804	029	82.0	75.80	78.28	7	否
20260402916015	029	81.0	75.33	77.60	8	否
20260403015621	030	90.0	82.98	85.79	1	进入体检
20260403015518	030	91.0	81.35	85.21	2	进入体检
20260403015126	030	88.0	82.05	84.43	3	进入体检

20260403015714	030	82.5	84.84	83.90	4	进入体检
20260403015117	030	85.0	82.90	83.74	5	进入体检
20260403015617	030	88.0	79.40	82.84	6	进入体检
20260403015716	030	85.0	81.27	82.76	7	进入体检
20260403015501	030	82.0	81.92	81.95	8	否
20260403015402	030	81.0	81.55	81.33	9	否
20260403015616	030	85.5	77.15	80.49	10	否
20260403015106	030	87.0	75.75	80.25	11	否
20260403015622	030	82.0	78.35	79.81	12	否
20260403015228	030	84.0	74.00	78.00	13	否
20260403015603	030	81.0	75.68	77.81	14	否
20260403015523	030	79.5	76.15	77.49	15	否
20260403015618	030	81.0	74.53	77.12	16	否
20260403015318	030	84.0	70.95	76.17	17	否
20260403015730	030	79.5	71.90	74.94	18	否
20260403015625	030	79.5	71.79	74.87	19	否
20260403015429	030	84.0	68.74	74.84	20	否
20260403015129	030	81.0	69.93	74.36	21	否
20260403015210	030	82.0	68.54	73.92	22	否
20260403115602	031	81.5	85.79	84.07	1	进入体检
20260403115306	031	86.5	81.25	83.35	2	进入体检
20260403115619	031	85.5	81.27	82.96	3	进入体检

20260403115630	031	85.0	81.50	82.90	4	进入体检
20260403115313	031	87.0	79.45	82.47	5	进入体检
20260403115101	031	84.5	79.72	81.63	6	进入体检
20260403115522	031	85.5	78.77	81.46	7	进入体检
20260403115122	031	83.0	80.42	81.45	8	否
20260403115926	031	82.0	81.02	81.41	9	否
20260403115329	031	83.5	74.80	78.28	10	否
20260403115105	031	83.0	74.98	78.19	11	否
20260403115316	031	80.0	76.80	78.08	12	否
20260403115628	031	80.5	76.02	77.81	13	否
20260403115309	031	80.0	69.30	73.58	14	否